

Alberta Swine Improvement Program

CANADIANA

JUN 15 1987

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
May 16 - 31, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

1
B O A R S

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT		AGE	
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION	(MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX	
YORKSHIRE									
Agra Farms Ltd. Okotoks 938-7741	12 month average				118 pigs	(14.3)	(160)		100
	ARHL 827T	-0.7	-4.7	130	ARHL 992U	14.2	162		98
	"	"	"	"	" 993U	9.7	164		161
	ARHL 521T	-0.8	-9.3	152	" 1023U	11.5	165		133
	"	"	"	"	" 1024U	11.9	168		121
	ARHL 827T	-0.7	-4.7	130	" 1031U	12.0	149		152
	"	"	"	"	" 1032U	10.2	158		163
	"	"	"	"	" 1056U	13.3	151		129
	"	"	"	"	" 1058U	15.5	153		95
	"	"	"	"	" 1059U	13.4	154		122
	"	"	"	"	" 1060U	14.7	156		101
	"	"	"	"	" 1061U	14.4	149		115
	"	"	"	"	" 3W	10.5	145		179
	"	"	"	"	" 27W	12.7	136		161
	"	"	"	"	" 28W	11.8	149		155
	"	"	"	"	" 32W	13.7	138		145
Loomsbury Farms Loomsbury 74-3307	12 month average				25 pigs	(15.8)	(159)		100
	WM 205U				WM 3407U	9.4	162		160
	"				" 3408U	14.5	153		120
	WM 8210T				" 3606U	12.9	156		132
	WM 804U				" 3907U	16.3	134		124
	"				" 3908U	16.0	141		119
	"				" 3910U	14.8	130		144
	"				" 3911U	16.4	132		126
	WM 805U				" 4107U	16.9	137		115
	"				" 4108U	13.7	127		158
	"				" 4105U	14.1	159		117
	"				" 105W	14.3	144		132
	"				" 107W	13.3	144		142
	"				" 204W	14.7	141		132
	"				" 205W	13.5	136		150
Loomsbury Farms (continued)	WM 805U				WM 206W	16.2	141		117
	"				" 207W	15.6	135		130
	"				" 212W	17.5	139		107
	WM 1007U				" 509W	12.9	136		156
raat, J. baldale 27-9757	12 month average				112 pigs	(11.9)	(147)		100
	ARBF 784T				ARBF 953U	11.4	153		96
	"				" 955U	11.3	152		99
	"				" 962U	11.5	145		110
	"				" 5W	11.3	145		112
	"				" 6W	10.5	148		114

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)						
Eringfield, B. Coaldale 345-3420	12 month average					68 pigs	(14.1)	(163)	100
	KKEF 1304S	-1.6	+1.3	124	AOGK	881U	15.9	168	71
	"	"	"	"	"	883U	15.7	174	65
	"	"	"	"	"	884U	14.0	177	81
	KKEF 3447S	-1.2	-1.7	129	"	911U	10.3	179	122
	"	"	"	"	"	921U	13.1	159	119
	AOGK 371T	-0.9	-6.7	143	"	952U	12.8	145	142
	"	"	"	"	"	953U	12.6	146	142
Five Lakes Farms Mayerthorpe 786-4373	12 month average					217 pigs	(13.4)	(158)	100
	AOET 1395S	-0.1	-0.6	104	JKAA	16605U	12.9	194	69
	RITR 964T				"	17003U	11.5	171	104
	JKAA 982S	+1.5	+1.8	67	"	17301U	11.2	172	106
	"	"	"	"	"	17304U	9.9	172	117
	"	"	"	"	"	17306U	13.7	172	84
	JKAA 2403U				"	17703U	14.6	172	76
	JKAA 982S	+1.5	+1.8	67	"	17802U	14.5	157	92
	"	"	"	"	"	17803U	16.4	162	70
	RITR 964T				"	17903U	11.4	173	103
	AOET 1395S	-0.1	-0.6	104	"	18003U	10.3	168	118
	"	"	"	"	"	18004U	10.3	159	127
	"	"	"	"	"	18005U	10.5	171	113
	"	"	"	"	"	18102U	12.3	151	117
	YRZN 575T (1)				"	18302U	11.9	152	120
	NPD 8714T (1)				"	19001U	14.9	150	95
	"				"	19003U	14.3	151	99
	"				"	19006U	13.1	154	107
	RITR 964T				"	17901U	11.0	177	103
	"				"	17904U	14.1	182	70
	AOET 1395S	-0.1	-0.6	104	"	18106U	11.1	177	102
	RITR 964T				"	18406U	13.8	171	84
	JKAA 982S	+1.5	+1.8	67	"	18601U	10.8	184	97
	"	"	"	"	"	18602U	12.1	180	90
	"	"	"	"	"	18603U	11.0	170	110
	NPD 8714T (1)				"	19002U	15.0	170	74
	"				"	19004U	13.8	169	86
	NPD 8714T				JKAA	19005U	16.9	175	52
	RITR 964T				"	19301U	11.6	160	114
	"				"	19302U	13.4	158	100
	"				"	19305U	13.2	164	96
	"				"	19306U	11.2	165	113
	"				"	19503U	13.0	173	89
	JKAA 4202U				"	19602U	13.8	174	81
	JKAA 2403U				"	19902U	12.0	170	101
	"				"	19903U	9.5	169	124

REEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
ive Lakes (continued)	RITR 964T				" 301W	17.5	156	66
	"				" 306W	15.5	153	87
	"				" 307W	16.6	157	73
	JKAA 4204U				" 504W	11.0	153	127
	"				" 505W	14.6	154	94
	"				" 506W	12.6	156	109
	"				" 1002W	13.1	144	117
	"				" 1003W	15.6	149	90
	"				" 1105W	11.8	140	133
	JKAA 4207U				" 1201W	10.2	139	148
aschmeyer, D. ruderheim 98-2845	12 month average				58 pigs	(14.0)	(148)	100
	DOUG 334T	-0.8	-2.9	126	DOUG 305U	10.4	155	119
	DOUG 800T				" 8W	14.6	152	88
	HILL 54T	-0.3	-0.4	106	" 11W	13.1	147	109
	"	"	"	"	" 12W	15.8	143	94
	"	"	"	"	" 14W	12.6	138	129
	"	"	"	"	" 15W	13.7	137	122
atejka, G. ylvan Lake 87-2656	12 month average				185 pigs	(13.2)	(154)	100
	AMBW 278P (2)	-1.9	+0.2	131	KKEF 2671U	12.9	191	34
	ARUW 36S (2)	-1.2	-3.2	135	" 2685U	10.3	191	66
	ACUT 124T	-0.8	-2.4	123	" 2911U	13.4	170	66
	"	"	"	"	" 2916U	13.4	157	93
	KKEF 2701S	-1.5	-9.1	162	" 2951U	12.4	168	83
	KKEF 2872T				" 2971U	11.4	179	75
	"				" 2974U	15.2	175	35
	"				" 3050U	9.9	152	146
	ACUT 124T	-0.8	-2.4	123	" 3060U	14.6	167	58
	"	"	"	"	" 3063U	13.9	162	76
	"	"	"	"	" 3080U	10.4	174	97
	"	"	"	"	" 3081U	9.8	179	94
	"	"	"	"	" 3083U	13.1	162	87
	"	"	"	"	" 3085U	11.5	155	121
	DOUG 354T				" 3092U	8.7	166	134
McCarthy, J. indale 42-4531	12 month average				24 pigs	(14.9)	(146)	100
	YRZN 575T (1)				ASZT 317U	11.8	155	129
	"				" 318U	11.0	153	146
	"				" 4W	14.1	143	120
	"				" 5W	12.2	138	161
apenhuyzen, C. ony Plain 63-4358	12 month average				23 pigs	(17.6)	(164)	100
	DASA 1052T				ASUS 390U	16.8	175	91
	"				" 395U	15.2	169	117

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG		INDE
		FAT (MM)	AGE (DAYS)						
Rice, R. Ardrossan 998-2794	12 month average				29 pigs	(14.2)	(166)		100
	AHPZ 146T				AHPZ 306U	14.3	180		83
	AHPZ 26S	-0.5	+4.6	90	" 313U	12.0	158		130
	"	"	"	"	" 314U	14.1	158		109
West, N. & T.J. Radway 736-3790	12 month average				24 pigs	(14.2)	(161)		100
	JKAA 421T	-0.8	-5.6	135	ATED 6W	11.5	152		138
	"	"	"	"	" 11W	11.0	148		147
	"	"	"	"	" 12W	14.8	156		101
	"	"	"	"	" 49W	13.0	134		145
	"	"	"	"	" 58W	11.4	113		186
<u>LANDRACE</u>									
Agra Farms Ltd. Okotoks 938-7741	12 month average				139 pigs	(13.6)	(164)		100
	ARHL 311T	-1.0	-6.8	142	ARHL 1006U	13.5	165		99
	"	"	"	"	" 1007U	13.1	162		109
	"	"	"	"	" 1008U	14.5	162		92
	"	"	"	"	" 1009U	14.8	159		94
	ARHL 39U				" 1040U	12.5	153		130
	"				" 1041U	12.4	162		116
	"				" 1042U	11.6	156		135
	"				" 1044U	11.1	147		155
	ARHL 311T	-1.0	-6.8	142	" 1065U	10.8	153		150
	"	"	"	"	" 1066U	12.7	150		132
	"	"	"	"	" 1067U	13.1	170		96
	JBFA 2S (1)	-1.2	-10.0	158	" 1072U	10.6	162		137
	"	"	"	"	" 1073U	11.6	162		125
	"	"	"	"	" 1079U	15.0	145		114
	ARHL 39U				" 1086U	15.3	147		108
	"				" 1087U	14.3	157		103
	"				" 1088U	11.6	156		135
	"				" 1089U	12.9	154		124
Duff, D. Fort Saskatchewan 998-3101	12 month average				59 pigs	(14.8)	(151)		100
	DUFF 544T	-1.2	-5.8	142	DUFF 02W	16.6	143		100
McCarthy, K. Lindale 542-4531	12 month average				(Not Available)				
	ARHL 313T (1)	-1.6	-0.8	129	KATH 8W	11.1	132		
	"	"	"	"	" 01W	11.0	132		

REEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT		AGE	
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION	(MM) TO 90 KG	DAYS TO 90 KG	INDEX	
est, N. & T.J.	12 month average				(Not Available)				
adway 36-3790	MCMC 13T	-1.2	-3.8	134	LAST 9W	14.4	154		
					<u>LACOMBE</u>				
loomsbury Farms	12 month average				66 pigs	(16.6)	(146)		100
loomsbury 74-3307	BL 505U				BL 207W	15.2	114		170
	BL 15613T				" 106W	11.0	132		183
	"				" 107W	16.0	131		132
	"				" 108W	12.6	132		166
	"				" 109W	14.3	131		150
	BL 505U				" 208W	13.7	133		153
	BL 15611T				" 309W	15.2	128		146
	"				" 311W	16.8	127		130
	BL 206U				" 405W	18.5	136		97
	"				" 408W	20.5	134		79
	"				" 409W	15.2	125		151
	"				" 410W	18.4	139		93
	"				" 411W	18.3	134		103
	BL 1108U				" 505W	13.1	129		166
	"				" 507W	17.1	131		120
	"				" 508W	13.6	139		120
	"				" 509W	15.4	133		130
	BL 1106U				" 607W	14.8	127		152
	"				" 610W	14.2	130		153
	BL 206U				" 803W	15.9	130		135
	"				" 804W	17.9	134		107
	"				" 805W	15.0	137		132
	BL 1007U				" 902W	11.6	128		184
	"				" 903W	12.1	130		175
ive Lakes Farms	12 month average				144 pigs	(13.5)	(155)		100
ayerthorpe 86-4373	JA 110T	-0.7	+6.3	94	JA 17501U	11.4	180		82
	"	"	"	"	" 17502U	10.7	172		99
	JA 2205U				" 16803U	13.2	195		45
	CDAO 153T (1)				" 19104U	13.3	174		74
	"				" 19201U	14.2	181		56
	"				" 19202U	13.9	174		69
	"				" 19203U	14.4	174		65
	KR 1303S	-2.1	-0.8	149	" 102W	13.3	154		103
	JA 2202U				" 902W	9.0	144		156

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)	EBV INDEX					

HAMPSHIRE

Bloomsbury Farms	12 month average					35 pigs	(14.1)	(165)	100
Bloomsbury									
674-3307	WM 8304T					WM 3308M	13.8	158	109
	WM 307U					" 3704M	12.5	138	140
	"					" 3705M	11.8	135	150
	"					" 3706M	13.4	142	127
	"					" 3707M	15.2	133	116
	"					" 3708M	11.1	138	154
	"					" 3709M	12.1	141	141
	"					" 3710M	13.7	137	128
	WM 8304T					" 3801M	13.2	143	128
	"					" 3806M	13.4	141	128
	"					" 3809M	15.7	132	112
	"					" 4007M	12.9	134	139
	"					" 3804M	14.1	154	110
	"					" 3808M	14.6	157	102
	"					" 3810M	12.1	151	133
	"					" 4005M	14.8	146	109
	"					" 4006M	13.8	163	105
	"					" 4008M	12.1	159	126
Five Lakes Farms	12 month average					123 pigs	(12.6)	(163)	100
Mayerthorpe									
786-4373	AOJW 384T					JKAA 16702U	14.3	174	72
	"					" 17103U	11.0	180	95
	"					" 17201U	13.6	173	80
	"					" 17202U	13.2	183	72
	"					" 17204U	11.9	173	95
	JKAA 1455T					" 18201U	14.2	163	86
	"					" 18202U	11.0	181	94
	AOZM 333T (1)					" 18703U	12.3	161	105
	AOJW 384T					" 19401U	13.9	168	83
	AOZM 333T (1)					" 20103U	13.2	164	94
	JKAA 1165T					" 604W	13.2	156	103
	AOZM 333T (1)					" 803W	12.9	151	111
Rice, R.	12 month average					(Not Available)			
Ardrossan									
998-2794	AOZM 333T (1)					AHPZ 345U	14.4	160	
	"					" 346U	11.8	161	
	"					" 347U	12.1	152	

DUROC

Braat, J.	12 month average					24 pigs	(13.1)	(155)	100
Coaldale									
327-9757	ARBF 64T	-0.9	-0.6	125		ARBF 948U	13.4	147	110
	"	"	"	"		" 949U	10.1	152	135
	"	"	"	"		" 29W	15.3	128	125
	"	"	"	"		" 30W	17.2	139	88

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
Maschmeyer, G. Bruderheim 98-2845	12 month average Aoud 1512R " " "	-0.3 " " "	+7.7 " " "	67 " " "		45 pigs HILL 291U " 0292U " 5W " 6W	(14.2) 11.5 11.6 11.7 10.9	(149) 161 149 139 140	100 111 129 142 149
Price, H. Port Saskatchewan 98-9033	12 month average ARVY 18T " " " " "					(Not Available) ARVY 162U " 181U " 182U " 189U " 190U " 192U	11.6 9.9 15.1 12.2 13.1 13.2	162 155 154 153 152 160	
Price, R. Rdrossan 98-2794	12 month average ARVY 14T " "					38 pigs AHPZ 316U " 318U " 319U	(14.6) 14.8 14.7 15.4	(174) 162 167 183	100 117 111 80
<u>CROSSBRED</u>									
Loomsbury Farms Loomsbury 74-3307	12 month average BL 15509T "					(Not Available) 8KJ 304W " 305W	16.8 15.9	135 128	139 156
Raat, J. Baldale 27-9757	12 month average ARBF 64T ARBF 656T ASDZ 541S ARBF 656T	-0.9 " " "	-0.6 " " "	125 " " "		113 pigs 966U 13W 22W 46W	(13.3) 13.1 9.6 15.2 12.5	(143) 134 149 147 129	100 120 125 74 136
Root, C. Perlandia 74-4077	12 month average 1762 3083 "					116 pigs 5410U 5421U 5423U	(14.4) 11.5 13.0 15.5	(166) 164 151 166	100 133 134 88
Snchview Test Entley 8-3802	12 month average RFAA 147S " RFAA 3523T " " RFAA 147S					1180 pigs 4222U 4223U 4253U 4254U 4255U 4262U	(13.4) 11.4 14.4 12.2 10.7 13.4 12.8	(152) 166 174 164 160 169 162	100 97 44 92 117 65 87

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Ranchview Test (continued)	RFAA 147S				4264U	12.6	170	73
	RFAA 110S				4273U	14.6	158	74
	RFAA 147S				4284U	13.8	159	80
	"				4285U	12.4	158	98
	RFAA 1791T				4291U	11.7	159	108
	RFAA 3522T				4303U	13.3	158	90
	RFAA 671P				4311U	12.7	163	87
	"				4315U	14.1	158	80
	"				4316U	11.0	163	106
	RFAA 2162T				4324U	13.4	159	85
	"				4326U	10.8	163	110
	RFAA 110S				4345U	12.9	155	101
	"				43410U	12.7	166	80
	"				4351U	14.1	156	83
	RFAA 3523T				4362U	11.1	156	119
	"				4363U	12.6	163	88
	"				04363U	12.1	160	101
	RFAA 110S				4375U	14.6	153	84
	RFAA 2165T				4401U	12.4	160	95
	"				4402U	12.2	153	113
	RFAA 671P				4421U	12.2	152	115
	RFAA 3271T				4436U	12.4	165	86
	RFAA 147S				4441U	12.0	159	104
	RFAA 1791T				4461U	12.7	156	100
	RFAA 2165T				4471U	10.5	155	128
	"				4472U	14.6	147	97
	RFAA 3523T				4484U	12.9	156	99
	"				4485U	14.1	149	98
	"				4486U	11.4	156	117
	RFAA 110S				4492U	14.0	145	107
	"				4496U	12.7	154	104
Ranchview Farms B	12 month average				185 pigs	(14.1)	(160)	100
Bentley 748-3802	RFAA 6578T				6186U	12.9	183	72
	RFAA 24811S				6385U	15.4	172	62
	RFAA 2259T				6617U	10.7	171	117
	RFAA 24811S				6626U	14.6	163	88
	RFAA 97T				6704U	13.7	161	101
	JBFA 2S (1)	-1.2	-10.1	158	70010U	10.1	146	168
	RFAA 5496S				7027U	12.1	152	135
	"				70210U	14.0	147	125
Rice, R. Ardrossan 998-2794	12 month average				(Not Available)			
	AHPZ 20S	-0.7	-4.7	137	8AM 321U	14.6	157	
	"	"	"	"	" 325U	12.5	158	

9
G I L T S

		12 MONTH AVERAGE		PROBE PERIOD			
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
Agra Farms Ltd. Okotoks 938-7741	149	14.9	163	May 16 - 31	11	13.8	156
Bloomsbury Farms Bloomsbury 674-3307	34	169	164	"	16	17.6	146
Braat, J. Coaldale 327-9757	246	12.2	155	"	6	11.8	152
Eringfeld, B. Coaldale 345-3420	118	15.4	170	"	14	14.7	181
Five Lakes Farms Mayerthorpe 786-4373	174	14.8	169	"	49	14.6	175
Maschmeyer, D. Bruderheim 998-2845	58	15.1	151	"	6	14.6	153
Maschmeyer, G. Bruderheim 998-2845	29	14.7	148	"	2	12.9	157
Matejka, G. Sylvan Lake 887-2656	285	14.3	172	"	15	13.7	185
McCarthy, J. Lindale 542-4531	50	16.8	152	"	7	14.0	152
Papenhuyzen, C. Stony Plain 963-4358	20	19.6	161	"	3	18.6	168
Rice, R. Ardrossan 998-2794	36	15.2	168	"	8	13.5	176

BREEDER ADDRESS & TELEPHONE	# PROBED	12 MONTH AVERAGE		PROBE PERIOD			
		BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
West, N. & T.J. Radway 736-3790	22	15.3	171	May 16 - 31	7	15.2	147
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	178	13.8	166	"	12	14.6	155
Duff, D. Fort Saskatchewan 998-3101	105	14.9	151	"	9	13.5	153
Matejka, T. Sylvan Lake 887-2656	42	15.5	169	"	4	13.3	199
McCarthy, K. Lindale 542-4531	(Not Available)			"	7	12.7	137
West, N. & T.J. Radway 736-3790	(Not Available)			"	4	14.2	149
<u>LACOMBE</u>							
Bloomsbury Farms Ltd. Bloomsbury 674-3307	74	17.0	151	"	20	17.0	151
Five Lakes Farms Mayerthorpe 786-4373	118	15.3	168	"	12	13.8	177
<u>HAMPSHIRE</u>							
Bloomsbury Farms Ltd. Bloomsbury 674-3307	48	14.2	180	"	8	13.5	153
Five Lakes Farms Mayerthorpe 786-4373	114	13.6	175	"	13	14.1	172
Rice, R. Ardrossan 998-2794	(Not Available)			"	2	16.3	153

		12 MONTH AVERAGE		PROBE PERIOD			
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>DUROC</u>							
Braat, J. Coaldale 327-9757	21	13.8	161	May 16 - 31	5	16.3	139
Maschmeyer, G. Bruderheim 998-2845	39	15.9	146	"	4	12.4	149
Papenhuyzen, C. Stony Plain 963-4358	(Not Available)			"	2	15.3	171
Rice, H. Fort Saskatchewan 998-9033	(Not Available)			"	3	15.8	163
<u>CROSSBRED</u>							
Bloomsbury Farms Bloomsbury 674-3307	(Not Available)			"	17	16.4	135
Braat, J. Coaldale 327-9757	73	14.2	150	"	1	12.4	148
Groot, C. Neerlandia 674-4077	135	15.0	168	"	32	12.9	170
Jacobsson, G. Neerlandia 674-4867	177	15.6	165	"	32	14.1	173
Old House Farms Neerlandia 674-5453	169	14.1	174	"	15	13.9	167
Olds College Olds 556-8393	456	15.6	162	"	40	15.0	160
Ranchview Test Barn Bentley 748-3802	66	15.0	165	"	29	14.4	171
Ranchview Farms "B" Bentley 748-3802	748	15.6	168	"	18	14.5	176

BREEDER ADDRESS & TELEPHONE	# PROBED	12 MONTH AVERAGE		DATE	PROBE PERIOD		
		BACKFAT (MM)	AGE (DAYS)		# PROBED	AVG. B.F.	AVG. AGE
Rice, R. Ardrossan 998-2794	(Not Available)			May 16 - 31	2	16.1	162
West, N. & T.J. Radway 736-3790	224	16.6	163	"	51	14.3	153
Wierenga, C. Neerlandia 674-5904	211	15.7	175	"	21	13.8	158
Woelk Farms, Unit #1 Millet 387-4801	96	17.9	174	"	9	15.7	176
Woelk Farms, Unit #2 Millet 387-4801	100	16.7	176	"	13	16.1	180